



SMART HOME CONTROL CENTER

Easily control your lighting, music, cameras, locks, climate, scenes, and more—all from your wall. Take you free from the mobile app.



 **zigbee**

 **Spotify**

 **matter**

485



TEL:

+86 18123926737



What's App



WeChat



FEATURES

Tuya build-in, control all the devices of Tuya.

Adjust Lighting ON/OFF, brightness, colors etc.

View/answer video doorbells and cameras.

Spotify build-in, enjoy music anytime (on-line/local).

Built-in sensors and WiFi connection, real-time weather, temperature, time, date updates.

Screen	System	Resolution	RAM+ROM	Network	Bluetooth	Audio	input
4inch	Android 8.1	480*480	1G+8G	WIFI And Wired network	4	Aux	100-250VAC



FEATURES

Tuya build-in, control all the devices of Tuya.

Adjust Lighting ON/OFF, brightness, colors etc.

View/answer video doorbells and cameras.

Spotify build-in, enjoy music anytime (on-line/local).

Built-in sensors and WiFi connection, real-time weather, temperature, time, date updates.

Screen	System	Resolution	RAM+ROM	Network	Bluetooth	Audio	input
5inch	Linux 4.4.143	480*800	128MB+256MB	WIFI And Wired network	4.2	3 relays	100-250VAC



FEATURES

Tuya build-in, control all the devices of Tuya.

Adjust Lighting ON/OFF, brightness, colors etc.

View/answer video doorbells and cameras.

Spotify build-in, enjoy music anytime (on-line/local).

Built-in sensors and WiFi connection, real-time weather, temperature, time, date updates.

Screen	System	Resolution	RAM+ROM	Network	Bluetooth	Audio	input
6inch	Android 8.1	1440*720	1G+8G	WIFI And Wired network	4	2-way light control<200W	100-250VAC



FEATURES

Tuya build-in, control all the devices of Tuya.

Adjust Lighting ON/OFF, brightness, colors etc.

View/answer video doorbells and cameras.

Spotify build-in, enjoy music anytime (on-line/local).

Built-in sensors and WiFi connection, real-time weather, temperature, time, date updates.

Screen	System	Resolution	RAM+ROM	Network	Bluetooth	Audio	input
8inch	Android 8.1	1280*800	2G+8G	WIFI And Wired network	5.2	2-way light control<200W	100-250VAC

SMART DRIVER

Smart Constant Current Driver, build-in Zigbee. Bluetooth or Wifi Module
Use for LED Lights and make it smarter



ISOLATED CONSTANT CURRENT DRIVER BV-PC21-40S

Constant current dimming for perfect visuals
Innovative heat management for power longevity
1%-100% power dimming
Mobile app control
Safe, eco-friendly design

Model No.	Output power	Output voltage	Output current	Conversion power	Power factor (PF)	Ripple current	Dimensions
BV-PC40D	40W	28-42V	900mA	87%	≥ 0.9	$< 3\%$	140*47*29mm



ISOLATED CONSTANT CURRENT DRIVER BV-PC21-40D

Constant current dimming for perfect visuals
Innovative heat management for power longevity
1%-100% power dimming
Mobile app control
Safe, eco-friendly design

Model No.	Output power	Output voltage	Output current	Conversion power	Power factor (PF)	Ripple current	Dimensions
BV-PC40D	40W	28-42V	900mA	87%	≥ 0.9	$< 3\%$	155*53*30mm



ISOLATED CONSTANT VOLTAGE DRIVER BV-P2496-B

100m+ ultra-long network range
Full certification (UL, FCC, CE, ROHS) with 4-year warranty
Integrated power controller design, replaceable with conventional power sources
Dimming, color adjustment, grouping, scheduling, music interaction
Bluetooth MESH protocol for self-networking
Gateway setup for remote control, easy install, maintenance-free
Flexible control via mobile or remote
Stable connection, up to 128 devices on one network

Model No.	Function	Output power	Output voltage	Output current	Conversion power	Power factor (PF)	Dimensions
BV-MP 24200-S	Brightness tunable	200W	24V	2 Channels*16.6A	90%	≥ 0.95	195*62*35mm



LOW-VOLTAGE CONTROLLER

BV-LVXX

High-brightness digital dimming for perfect visuals
 RGBW Scene Control
 1%-100% power dimming
 Mobile app control
 Safe, eco-friendly design

Model No.	Function	Output power	Input voltage	Output current	Dimensions
BV-LV16	Brightness tunable	144-288W	12-24V	2 Channels * 6A	135.8*47.5*21mm



LOW-VOLTAGE CONTROLLER

BV-DCXXD

High-brightness digital dimming for perfect visuals
 DC step-down design
 1%-100% power dimming
 Mobile app control
 Safe, eco-friendly design

Model No.	Output power	Output voltage	Output current	Conversion power	Power factor (PF)	Ripple current	Dimensions
BV-DC22D	22W	28-42V	400-500mA	87%	≥ 0.9	< 3%	155*53*30mm



Blueview Etec Optic Tech Co., Ltd

Tel: +86-28-8148 0011

Fax: +86-28-8148 1258

Site: www.blueviewled.com

Email: sales@blueviewled.com

© No.1000, Section 2, 2nd Konggang Road, Southwest Aviation Industrial Zone, Chengdu, Sichuan, China